


INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C03B 23/025	A1	(11) International Publication Number: WO 00/29339 (43) International Publication Date: 25 May 2000 (25.05.00)
<p>(21) International Application Number: PCT/FI98/00881</p> <p>(22) International Filing Date: 12 November 1998 (12.11.98)</p> <p>(71) Applicant (for all designated States except US): GLASS-ROBOTS OY [FI/FI]; Hepolamminkatu 32, FIN-33720 Tampere (FI).</p> <p>(72) Inventor; and (75) Inventor/Applicant (for US only): PELTONEN, Esko [FI/FI]; Rahkakuja 2, FIN-36220 Kangasala (FI).</p> <p>(74) Agent: NIEMINEN, Taisto; Patenttitoimisto T Nieminen Oy, Kehräsaari B, FIN-33200 Tampere (FI).</p>		<p>(81) Designated States: AU, US, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).</p> <p>Published With international search report. In English translation (filed in Finnish).</p>

(54) Title: ARRANGEMENT IN A GLASS BENDING OVEN



(57) Abstract

An arrangement in the unloading and loading end of a multisection glass bending furnace, especially in such a furnace of, where the glass sheets (9, 10) travel along a special rail from one furnace section to the next section in mould carriages (8) moving in cycles on the said rail. For loading and unloading the mould with the bent glass (10) resting on it is shifted in carriage (8) from the rail over to the first side station and from the second side station the mould including glass sheet (9) is shifted over into the said carriage, while the carriage keeps moving forward on the rail. In both side stations the bent glass sheet is removed from the mould and a new glass sheet (9) mounted into the mould. A mould transmitter in each side station collects the moulds from one and the same section and returns the moulds to the same furnace section.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI 98/00881

A. CLASSIFICATION OF SUBJECT MATTER

IPC6: C03B 23/025

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: C03B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPODOC, WPI, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0592862 A1 (TAMGLASS ENGINEERING OY), 20 April 1994 (20.04.94), page 2, line 1 - line 6, figures 2,3, claims 1,7,13,15,19 --	1-3
X	EP 0132701 A2 (O/Y KYRO A/B TAMGLASS), 13 February 1985 (13.02.85), page 1, line 4 - line 23; page 3, line 28 - line 30; page 6, line 16 - line 22, page 7, line 3 - line 10; figure 3; claims 1,4; abstract --	1-3
X	EP 0736498 A2 (TAMGLASS ENGINEERING OY), 9 October 1996 (09.10.96), column 1, line 3 - line 13; column 2, line 1 - line 21, figure 1, claim 1, abstract --	1-3

☒ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

11 June 1999

Date of mailing of the international search report

12-07-1999

Name and mailing address of the ISA:

Swedish Patent Office
Box 5055, S-102 42 STOCKHOLM

Facsimile No. +46 8 666 02 86

Authorized officer

Ulf Nyström/MP

Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI 98/00881

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0568053 A1 (TAMGLASS ENGINEERING OY), 3 November 1993 (03.11.93), column 1, line 1 - line 6; column 2, line 8 - line 10; column 3, line 1 - line 7, figure 1, claim 1, abstract --	1-3
X	Patent Abstracts of Japan, No. 6 abstract of JP 57-140325 A (ASAHI GLASS KK), 30 August 1982 (30.08.82) --	1-3
A	US 5071461 A (TAKASHI HIROTSU ET AL), 10 December 1991 (10.12.91), column 1, line 6 - line 67, figures 1,10,14, claims 1,13,14 -- -----	1-7

INTERNATIONAL SEARCH REPORT
Information on patent family members

03/05/99

International application No.

PCT/FI 98/00881

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0592862 A1	20/04/94	AT 149978 T	15/03/97
		AU 666043 B	25/01/96
		AU 4879593 A	28/04/94
		CA 2107841 A	16/04/94
		CN 1088550 A	29/06/94
		DE 69308715 D,T	19/06/97
		FI 91521 B,C	31/03/94
		FI 924666 D	00/00/00
		JP 7300328 A	14/11/95
		US 5437704 A	01/08/95
		US 5472469 A	05/12/95
		FI 94233 B,C	28/04/95
		FI 94234 B,C	28/04/95
		FI 94235 B,C	28/04/95
		FI 932861 A	22/12/94
		FI 933318 A	22/12/94
		FI 935664 A	22/12/94
EP 0132701 A2	13/02/85	SE 0132701 T3	
		AT 38025 T	15/11/88
		CA 1203381 A	22/04/86
		DE 3474656 A	24/11/88
		FI 68390 B,C	31/05/85
		FI 832684 A	26/01/85
		JP 1912448 C	09/03/95
		JP 60051624 A	23/03/85
		US 4497645 A	05/02/85
EP 0736498 A2	09/10/96	FI 97292 B,C	15/08/96
		FI 951585 D	00/00/00
EP 0568053 A1	03/11/93	DE 69311843 D,T	27/11/97
		FI 91244 B,C	28/02/94
		FI 91245 B,C	28/02/94
		FI 921964 A	31/10/93
		FI 933319 A	31/10/93
		JP 7097227 A	11/04/95
		US 5306324 A	26/04/94
US 5071461 A	10/12/91	DE 68919931 D,T	01/06/95
		EP 0351739 A,B	24/01/90
		JP 2007595 C	11/01/96
		JP 2030632 A	01/02/90
		JP 7029793 B	05/04/95
		JP 2038331 A	07/02/90

RECORD COPY PCT

REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

For receiving Office use only

PCT/FI 98 / 0 0 8 8 1

International Application No.

International Filing Date 12 NOV 1998 (12. 11. 98)

The Finnish Patent Office
PCT International Application

Name of receiving Office and "PCT International Application"

Applicant's or agent's file reference
(if desired) (12 characters maximum) PCT-118

Box No. I TITLE OF INVENTION	
ARRANGEMENT IN A GLASS BENDING OVEN	
Box No. II APPLICANT	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) GLASSROBOTS OY Hepolamminkatu 32 FIN-33720 TAMPERE, FINLAND	
<input type="checkbox"/> This person is also inventor.	
Telephone No.	
Facsimile No.	
Teleprinter No.	
State (that is, country) of nationality: FI	State (that is, country) of residence: FI
This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input checked="" type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box	
Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) PELTONEN, Esko Rahkakuja 2 FIN-36220 KANGASALA, FINLAND	
This person is: <input type="checkbox"/> applicant only <input checked="" type="checkbox"/> applicant and inventor <input type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.)	
State (that is, country) of nationality: FI	State (that is, country) of residence: FI
This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input checked="" type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box	
<input type="checkbox"/> Further applicants and/or (further) inventors are indicated on a continuation sheet.	
Box No. IV AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE	
The person identified below is hereby/has been appointed to act on behalf of the applicant(s) before the competent International Authorities as: <input checked="" type="checkbox"/> agent <input type="checkbox"/> common representative	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.) NIEMINEN, Taisto Patenttitoimisto T Nieminen Oy Kehräsaari B, FIN-33200 TAMPERE FINLAND	
Telephone No. +358-3-2148633	
Facsimile No. +358-3-2132605	
Teleprinter No.	
<input type="checkbox"/> Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.	

Box No.V DESIGNATION OF STATES

The following designations are hereby made under Rule 4.9(a) (mark the applicable check-boxes; at least one must be marked):

Regional Patent

- ☐ **AP ARIPO Patent:** GH Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, SD Sudan, SZ Swaziland, UG Uganda, ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PCT
- ☐ **EA Eurasian Patent:** AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT
- ☒ **EP European Patent:** AT Austria, BE Belgium, CH and LI Switzerland and Liechtenstein, CY Cyprus, DE Germany, DK Denmark, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European Patent Convention and of the PCT
- ☐ **OA OAPI Patent:** BF Burkina Faso, BJ Benin, CF Central African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, GA Gabon, GN Guinea, ML Mali, MR Mauritania, NE Niger, SN Senegal, TD Chad, TG Togo, and any other State which is a member State of OAPI and a Contracting State of the PCT (if other kind of protection or treatment desired, specify on dotted line)

National Patent (if other kind of protection or treatment desired, specify on dotted line):

- | | |
|---|---|
| <input type="checkbox"/> AL Albania | <input type="checkbox"/> LS Lesotho |
| <input type="checkbox"/> AM Armenia | <input type="checkbox"/> LT Lithuania |
| <input type="checkbox"/> AT Austria | <input type="checkbox"/> LU Luxembourg |
| <input checked="" type="checkbox"/> AU Australia | <input type="checkbox"/> LV Latvia |
| <input type="checkbox"/> AZ Azerbaijan | <input type="checkbox"/> MD Republic of Moldova |
| <input type="checkbox"/> BA Bosnia and Herzegovina | <input type="checkbox"/> MG Madagascar |
| <input type="checkbox"/> BB Barbados | <input type="checkbox"/> MK The former Yugoslav Republic of Macedonia |
| <input type="checkbox"/> BG Bulgaria | |
| <input type="checkbox"/> BR Brazil | <input type="checkbox"/> MN Mongolia |
| <input type="checkbox"/> BY Belarus | <input type="checkbox"/> MW Malawi |
| <input type="checkbox"/> CA Canada | <input type="checkbox"/> MX Mexico |
| <input type="checkbox"/> CH and LI Switzerland and Liechtenstein | <input type="checkbox"/> NO Norway |
| <input type="checkbox"/> CN China | <input type="checkbox"/> NZ New Zealand |
| <input type="checkbox"/> CU Cuba | <input type="checkbox"/> PL Poland |
| <input type="checkbox"/> CZ Czech Republic | <input type="checkbox"/> PT Portugal |
| <input type="checkbox"/> DE Germany | <input type="checkbox"/> RO Romania |
| <input type="checkbox"/> DK Denmark | <input type="checkbox"/> RU Russian Federation |
| <input type="checkbox"/> EE Estonia | <input type="checkbox"/> SD Sudan |
| <input type="checkbox"/> ES Spain | <input type="checkbox"/> SE Sweden |
| <input type="checkbox"/> FI Finland | <input type="checkbox"/> SG Singapore |
| <input type="checkbox"/> GB United Kingdom | <input type="checkbox"/> SI Slovenia |
| <input type="checkbox"/> GE Georgia | <input type="checkbox"/> SK Slovakia |
| <input type="checkbox"/> GH Ghana | <input type="checkbox"/> SL Sierra Leone |
| <input type="checkbox"/> GM Gambia | <input type="checkbox"/> TJ Tajikistan |
| <input type="checkbox"/> GW Guinea-Bissau | <input type="checkbox"/> TM Turkmenistan |
| <input type="checkbox"/> HR Croatia | <input type="checkbox"/> TR Turkey |
| <input type="checkbox"/> HU Hungary | <input type="checkbox"/> TT Trinidad and Tobago |
| <input type="checkbox"/> ID Indonesia | <input type="checkbox"/> UA Ukraine |
| <input type="checkbox"/> IL Israel | <input type="checkbox"/> UG Uganda |
| <input type="checkbox"/> IS Iceland | <input checked="" type="checkbox"/> US United States of America |
| <input checked="" type="checkbox"/> JP Japan | |
| <input type="checkbox"/> KE Kenya | <input type="checkbox"/> UZ Uzbekistan |
| <input type="checkbox"/> KG Kyrgyzstan | <input type="checkbox"/> VN Viet Nam |
| <input type="checkbox"/> KP Democratic People's Republic of Korea | <input type="checkbox"/> YU Yugoslavia |
| <input checked="" type="checkbox"/> KR Republic of Korea | <input type="checkbox"/> ZW Zimbabwe |
| <input type="checkbox"/> KZ Kazakhstan | |
| <input type="checkbox"/> LC Saint Lucia | |
| <input type="checkbox"/> LK Sri Lanka | |
| <input type="checkbox"/> LR Liberia | |

Check-boxes reserved for designating States (for the purposes of a national patent) which have become party to the PCT after issuance of this sheet:

- ☐
- ☐

Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation of a designation consists of the filing of a notice specifying that designation and the payment of the designation and confirmation fees. Confirmation must reach the receiving Office within the 15-month time limit.)

Box No. VI PRIORITY CLAIM		<input type="checkbox"/> Further priority claims are indicated in the Supplemental Box.		
Filing date of earlier application (day/month/year)	Number of earlier application	Where earlier application is:		
		national application: country	regional application:* regional Office	international application: receiving Office
item (1)				
item (2)				
item (3)				

☐ The receiving Office is requested to prepare and transmit to the International Bureau a certified copy of the earlier application(s) (only if the earlier application was filed with the Office which for the purposes of the present international application is the receiving Office) identified above as item(s):

* Where the earlier application is an ARIPO application, it is mandatory to indicate in the Supplemental Box at least one country party to the Paris Convention for the Protection of Industrial Property for which that earlier application was filed (Rule 4.10(b)(ii)). See Supplemental Box.

Box No. VII INTERNATIONAL SEARCHING AUTHORITY

Choice of International Searching Authority (ISA) (if two or more International Searching Authorities are competent to carry out the international search, indicate the Authority chosen; the two-letter code may be used):

ISA / SE

Request to use results of earlier search; reference to that search (if an earlier search has been carried out by or requested from the International Searching Authority):

Date (day/month/year)

Number

Country (or regional Office)

Box No. VIII CHECK LIST; LANGUAGE OF FILING

This international application contains the following number of sheets:

request : 3
description (excluding sequence listing part) : 4
claims : 2
abstract : 1
drawings : 1
sequence listing part of description :
Total number of sheets : 11

This international application is accompanied by the item(s) marked below:

1. ☒ fee calculation sheet
2. ☐ separate signed power of attorney
3. ☐ copy of general power of attorney; reference number, if any:
4. ☐ statement explaining lack of signature
5. ☐ priority document(s) identified in Box No. VI as item(s):
6. ☐ translation of international application into (language):
7. ☐ separate indications concerning deposited microorganism or other biological material
8. ☐ nucleotide and/or amino acid sequence listing in computer readable form
9. ☐ other (specify):

Figure of the drawings which should accompany the abstract:


2

Language of filing of the international application:

Finnish

Box No. IX SIGNATURE OF APPLICANT OR AGENT

Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not obvious from reading the request).


Taisto Nieminen

For receiving Office use only		2. Drawings: <input type="checkbox"/> received: <input type="checkbox"/> not received:
1. Date of actual receipt of the purported international application:	1 2 NOV 1998 (12 -11- 1998)	
3. Corrected date of actual receipt due to later but timely received papers or drawings completing the purported international application:		
4. Date of timely receipt of the required corrections under PCT Article 11(2):		
5. International Searching Authority (if two or more are competent): ISA / SE	6. <input checked="" type="checkbox"/> Transmittal of search copy delayed until search fee is paid.	

For International Bureau use only

Date of receipt of the record copy by the International Bureau:

0 7 DECEMBER 1998

(0 7. 12. 98)




Fig. 1




Fig. 2

JÄRJESTELY LASINTAIVUTUSUUNISSA

Keksintö kohdistuu patenttivaatimuksen 1 johdanto-osan mukaiseen järjestelyyn lasintaivutusuunissa, jolla vältetään lasin poistamis- ja lastausaikojen muodostuminen kapasiteettia rajoittavaksi tekijäksi.

Ennestään tunnettuja ovat ns. sarjauunityyppiset taivutusuunit, joissa taivutukseen menevät lasit liikkuvat yläradalla taivutukseen ja taivutetut takaisin alarataa pitkin purkaus- ja lastauskohtaan joko sivuseinällisissä tai avonaisissa vaunuissa. Näissä ratkaisuissa täytyy suorittaa sekä taivutetun lasin poisto että suoran aihion asetus muotille sen ajan kuluessa, minkä ko. vaunu on paikallaan ns. lastaushissin alaosassa.

Vaunujen liikkeiden kiertoaika sis. vaakaliikkeet, hissien liikkeet, sivupalkkien toiminta yms. kestää tyypillisesti noin 30 s. Tällöin vaunu on paikallaan em. lastaushissin alaosassa kulloisestakin uunin kapasiteetista riippuvasti. Esim. kapasiteetilla n kpl/h on paikallaanoloaika $(3600 \text{ s})/n - 30 \text{ s}$.

Jos uunilta vaaditaan kapasiteetti esim. 60 kpl/h jää tällöin purkaus- ja lastausaikaa yhteensä 30 s ($= 15 \text{ s} + 15 \text{ s}$). Lastaus ja purkaminen onnistuvat vielä tässä tapauksessa tottuneilta henkilöiltä, kuitenkin tarvittaisiin kaksi henkilöä.

Mutta jos kapasiteettia halutaan nostaa esim. arvoon 100 kpl/h on ns. jaksoaika 36 s ja lastaus- ja purkausaikaa jää yhteensä $36 \text{ s} - 30 \text{ s} = 6 \text{ s}$, jolloin tehtävä on mahdoton.

Keksinnön mukainen järjestely poistaa purku- ja lastaustoimintojen aiheuttaman kapasiteetin nostorajoituksen. Keksinnölle on tunnusmerkillistä se, mitä on esitetty patenttivaatimuksissa.

Järjestelyn avulla ei olla sidottuna jakson pituuteen niin, että muottivaunuun kohdistuva purku- ja lastaustyö olisi saatava suoritetuksi jakson aikana. Järjestelyn johdosta uunin

kapasiteettia voidaan olennaisesti nostaa nykysissä sarjauuneissa tunnetuista arvoista noin 30 - 70 kpl tunnissa arvoon 100 - 120 kpl tunnissa. Järjestelyn avulla sekä taivutetut lasit että uuniin lastattavat suorat lasit ovat nykyistä helpommin käsiteltävissä, sillä muotit ovat paremmin vedettynä esille lasinvaihtotyön ajaksi järjestelyyn kuuluvassa erikoisesti lasinvaihtoon tarkoitetussa asemassa.

Seuraavassa keksintöä selitetään lähemmin viittaamalla oikeeseen piirustukseen, jossa

Kuvio 1 esittää erästä uuniratkaisua kaaviollisesti esitettynä sivulta.

Kuvio 2 esittää kaaviollisesti uuniratkaisua päältä ja keksinnön mukaista järjestelyä siihen liitettynä.

Kuviossa 1 on sivulta nähtynä sarjauuni, jossa on ylärata 3 ja alarata 4. Taivutettava lasi 9 kulkee yläradalla muottivaunussa 8 osastolta 2a toiselle 2b, 2c jne. Yläradalla lasi lämmitetään taivutuslämpötilaan. Alaradalla taipuneet lasit 10 tulevat muottivaunussa 8 jäähdytysosastojen kautta kohti purkaus- ja lastauspäättä, jossa on myös hissiosasto 1. Päällekkäisiä muita osastoja on merkitty lohkonumeroilla 2a, 2b, 2c jne. Prosessiin kuuluvan jakson aikana kukin muottivaunu 8 pysähtyy ao. osastoon. Jaksoon kuuluu yksi vaunun siirtoaika ja yksi vaunun pysähdysaika.

Kuviossa 2 on uuni kuvattu päältä. Alaradalla 4 tulee taivutetut lasit 10 muottivaunuissa 8 vuorotellen osastoon 2a. Kuvion 2 tapauksessa osastosta 2a alaradalta muotti ja siinä oleva taipunut lasi 10b siirretään hissiosastoon 1, kun hissi on ensin nostanut vaunun 8a ja siinä olevassa muotissa olevan suoran lasin 9d yläradalle 3. Kun lasi 10b ja muottivaunu 8b ovat hissiosaston alaradalla noutaa vuorossa oleva siirtolaite esim. laite 5, lasin 10b ja muotin vetämällä ne sivuasemaan siirtolaitteen 5 varaan. Taipunut lasi 10b poistetaan pinoon 10. Suora lasi pinosta 9 asennetaan muottiin tilalle.

Sillä aikaa toinen siirtokuljetin 6 tuo muotin ja uuden lasin 9e muottivaunuun 8b. Hissi nostaa vaunun 8b ylös ja järjestely on valmis ottamaan vastaan ja siirtämään seuraavan muottivaunun 8c osastolle 1 riippumatta siitä onko radalla siirtojakso

käynnissä vai ei. Viimeksi lasin tuonut siirtokuljetin 6 ottaa ensimmäiseksi osastolle 1 tulleesta seuraavasta vaunusta 8c muotin ja lasin 10c ja vetää sivuun lasin vaihtoa varten.

Muottivaunu 8c on nyt tyhjä osastossa 1 ja siirtokuljetin 5 siirtää siihen muotin ja uuden lasin 9f. Hissin nostettua vaunun 8c ylös, siirretään muottivaunu 8d, joka on tullut jo vähintään osastoon 2b siirtojakson aikana, osastoon 1 ja siirtokuljetin 5 noutaa muotin ja lasin 10d. Se siirtokuljetin, joka viimeksi toi muotin ja suoran lasin osastoon 1, ottaa myös seuraavaksi osastoon tulleen taipuneen lasin siirrettäväksi vastaavalle sivuasemalle. Tällä järjestelyllä siirtokuljettimet voivat pitää vuorollaan kutakin muottia sivussa pidemmän ajan lasinvaihtoa varten.

Kuviossa 1 on osasto 2b kuvatulla hetkellä tyhjä alaradalla. Keksinnön eräs edullinen sovellutusmuoto on, että osastosta 2c muottivaunu lähtee eteenpäin vielä siirtojakson ohjaamana ts. muiden vaunujen työntämänä, mutta osastoille 2a ja 2b tai ainakin osastolle 2a saapunut vaunu ohjataan eteenpäin siirtokaksosta riippumatta. Nämä vaunut siirretään järjestyksessä hissiosastoon 1 olennaisesti heti kun hissiosasto on tyhjä. Kun järjestelyssä ainakin yksi osasto 2a tai 2b alaradalla on tarkoituksellisesti tyhjä, voi siirtojakson ohjaamana seuraava muottivaunu esim. 8d tulla vapaasti tyhjään osastoon aiheuttamatta mitään pakkosiirtoa hissiosastoon keksinnön mukaisessa järjestelyssä.

Keksinnön mukaisessa järjestelyssä on muotteja yksi enemmän kuin muottivaunuja 8. Ylimääräinen muotti (kukin muotti vuorollaan) on sivuasemalla, jolloin purkaus- ja lastaustilanne aiheuttaa sen, että sivuasemalta palautettava muotti ei pääse takaisin samaan vaunuun, josta se asemalle noudettiin. Ylimääräisen muotin ansiosta lisääntyy käytettävissä oleva purkaus- ja lastausaika merkittävästi. Jos muotteja on parillinen määrä, palautuu lasi taivutettuna samalle puolelle uuniamista se vietiin uuniin. Tämä on sekatuotannossa tärkeitä tavaran säilytyksen ja järjestyksen kannalta.

Seuraavassa esimerkki uunista, jonka kapasiteetti on nostettu

keksinnön mukaisella järjestelyllä arvoon 100 kpl tunnissa.

Jakson pituus on	3600 s/100 kpl = 36 s/kpl
Lastaushissi ylös, ajan käyttö	4,5 s
vaunu lastaushissiin	4,5 s
lasin nouto	10 s
lasin vienti sisään	<u>10 s</u>
Yht.	n. 29 - 30 s

Lasin vaihtoaika on 2 x jakson pituus - ylläolevat siirtoajat
eli 72 s - 30 s = 42 s

Kummankin puolen sivuasemalla jää 42 s aikaa vaihtaa lasi paikallaan olevaan muottiin. Aika on siis jopa pitempi kuin on jakson pituus.

On huomattava että, muottivaunujen 8 siirtoon osastolta toiselle tarvittavaa siirtoaikaa ei tarvitse ottaa huomioon.

Siirtokuljettimet 5 ja 6 ovat sopivimmin haarukkavaunuja, joiden haarukat nostavat muotin ja siirtävät sivuasemaan. Keksintöön kuuluvat sivuasemat tuovat mukanaan merkittävän kapasiteetin kasvun. Uunirakenteeseen kuuluu ohjauskeskus 11, jolla ohjataan uunin toimintaa. Mm. siirtokuljettimien 5 ja 6 toimintojen ajoituksen ohjaus voidaan tehdä automaattiseksi ja yhteistoimintaan muottivaunujen siirron kanssa osastosta 2a osastoon 1.

PATENTTIVAATIMUKSET

1. Järjestely useampiosastoisen lasintaivutusuunin purkaus- ja lastauspäässä etenkin sellaisessa uunissa, jossa lasilevyt (9), (10) kulkevat erityistä rataa (3), (4) pitkin uunin osastolta seuraavalle osastolle sijoitettuna mainitulla radalla jaksottain eteneviin muottivaunuihin (8) mainitun radan ollessa järjestetty kiertämään taivutusosaston kautta ja palauttamaan takaisin lastaus- ja purkauspäähän, t u n n e t t u siitä, että
 - lasien purkaus- ja lastaustoimintaa varten siirretään vaunussa (8) oleva muotti ja muotin varassa oleva taipunut lasi (10) radalta (4) ensimmäiselle sivuasemalle ja toiselta sivuasemalta siirretään muotti ja siinä oleva lasi (9) mainittuun vaunuun vaunun jatkaessa radalla (4) eteenpäin,
 - kummallakin sivuasemalla poistetaan taipunut lasi (10) muotista ja uusi lasi (9) asennetaan muottiin ja että
 - kumpaankin sivuasemaan kuuluva muotinsiirtolaite (5), (6) noutaa muotit yhdestä ja samasta lastaukseen tarkoitettusta osastosta (1) ja palauttaa muotit mainittuun samaan osastoon.
2. Patenttivaatimuksen 1 mukainen järjestely t u n n e t t u siitä, että muottien lukumäärä on suurempi kuin muottivaunujen (8) lukumäärä.
3. Patenttivaatimusten 1 ja 2 mukainen järjestely t u n n e t t u siitä, että siirtolaitteilla noudetaan muotit alaradan (4) hissiosastosta (1) ja palautetaan sinne.
4. Jonkin edellisen patenttivaatimuksen 1 - 3 mukainen järjestely t u n n e t t u siitä, että ensimmäinen ja toinen sivuasema sijaitsevat eripuolilla hissiosastoa (1).
5. Jonkin edellisen patenttivaatimuksen 1 - 4 mukainen järjestely t u n n e t t u siitä, että alaradan (4) hissiosastolle (1) johdetaan edellisestä osastosta (2a) muottivaunu (8) erillisen ohjauksen avulla riippumatta muiden vaunujen siirtojaksosta.
6. Jonkin edellisen patenttivaatimuksen 1 - 4 mukainen järjestely t u n n e t t u siitä, että alaradan (4) hissiosas-

tolle (1) johdetaan edellisestä (2a) ja sitä edellisestä (2b) osastosta muottivaunut (8) erillisen ohjauksen avulla riippumatta muiden vaunujen siirtojaksosta.

7. Jonkin edellisen patenttivaatimuksen 1 - 6 mukainen järjestely t u n n e t t u siitä, että kukin muotti on vuorollaan siirrettynä pois uunissa olevalta radalta (4) olennaisesti kauemmin kuin on mainitun radan yhden jakson kesto aika.

(57) Tiivistelmä

7

Järjestely useampiosastaisen lasintaivutus-uunin purkaus- ja lastauspäässä etenkin sellaisessa uunissa, jossa lasilevyt (9), (10) kulkevat erityistä rataa pitkin uunin osastolta seuraavalle osastolle sijoitettuna mainitulla radalla jaksottain eteneviin muottivaunuihin (8). Lasien purkaus- ja lastaustoimintaa varten siirretään vaunussa oleva muotti ja muotin varassa oleva taipunut lasi radalta ensimmäiselle sivuasemalle ja toiselta sivuasemalta siirretään muotti ja siinä oleva lasi mainittuun vaunuun vaunun jatkaessa radalla eteenpäin. Kummallakin sivuasemalla poistetaan taipunut lasi muotista ja uusi lasi asennetaan muottiin. Kumpaankin sivuasemaan kuuluva muotinsiirtolaite (5), (6) noutaa muotit yhdestä ja samasta uuniosastosta ja palauttaa muotit mainittuun samaan uuniosastoon.


FIG. 2

PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)



Applicant's or agent's file reference PCT-118	FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. PCT/FI98/00881	International filing date (<i>day/month/year</i>) 12.11.1998	Priority date (<i>day/month/year</i>)
International Patent Classification (IPC) or national classification and IPC ⁷ C 03 B 23/025		
Applicant GLASSROBOTS OY et al		

1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.
2. This REPORT consists of a total of 4 sheets, including this cover sheet.
- ☒ This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).

These annexes consist of a total of 2 sheets.

3. This report contains indications relating to the following items:

- I ☒ Basis of the report
- II ☐ Priority
- III ☐ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability
- IV ☐ Lack of unity of invention
- V ☒ Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- VI ☐ Certain documents cited
- VII ☐ Certain defects in the international application
- VIII ☐ Certain observations on the international application

Date of submission of the demand 09.06.2000	Date of completion of this report 12.02.2001
Name and mailing address of the IPEA/SE Patent- och registreringsverket Box 5055 S-102 42 STOCKHOLM Facsimile No. 08-667 72 88	Authorized officer Mattias Arvidsson/ELY Telephone No. 08-782 25 00

Form PCT/IPEA/409 (cover sheet) (January 1998)

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/FI98/00881

I. Basis of the report

1. With regard to the **elements** of the international application:*☐ the international application as originally filed☒ the description:pages 1-5 , as originally filed

pages _____ , filed with the demand

pages _____ , filed with the letter of _____

☒ the claims:

pages _____ , as originally filed

pages _____ , as amended (together with any statement) under article 19

pages _____ , filed with the demand

pages 6-7 , filed with the letter of 04.12.2000☒ the drawings:pages 1 , as originally filed

pages _____ , filed with the demand

pages _____ , filed with the letter of _____

☐ the sequence listing part of the description:

pages _____ , as originally filed

pages _____ , filed with the demand

pages _____ , filed with the letter of _____

2. With regard to the **language**, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.These elements were available or furnished to this Authority in the following language English which is:☐ the language of a translation furnished for the purposes of international search (under Rule 23.1(b)).☒ the language of publication of the international application (under Rule 48.3(b)).☐ the language of the translation furnished for the purposes of international preliminary examination (under Rules 55.2 and/or 55.3).3. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:☐ contained in the international application in written form.☐ filed together with the international application in computer readable form.☐ furnished subsequently to this Authority in written form.☐ furnished subsequently to this Authority in computer readable form.☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.4. ☐ The amendments have resulted in the cancellation of:☐ the description, pages _____☐ the claims, Nos. _____☐ the drawings, sheet/fig _____5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2 (c)).**

* Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are annexed to this report since they do not contain amendments (Rules 70.16 and 70.17).

** Any replacement sheet containing such amendments must be referred to under item I and annexed to this report.

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/FI98/00881

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Claims	<u>1-6</u>	YES
	Claims		NO
Inventive step (IS)	Claims	<u>1-6</u>	YES
	Claims		NO
Industrial applicability (IA)	Claims	<u>1-6</u>	YES
	Claims		NO

2. Citations and explanations (Rule 70.7)

The claimed invention relates to an arrangement in the unloading and loading end of a multi-section glass-bending furnace, where the glass sheets travel along a special rail from one furnace section to the next section in mould carriages moving on said rail. The rail is arranged to circulate through the bending section, and to return to the loading and unloading end.

The following documents are cited in the International Search Report as documents of particular relevance:

- D1: EP 0592862 A1
- D2: EP 0132701 A2
- D3: EP 0736498 A2
- D4: EP 0568053 A1
- D5: JP 57140325 Patent Abstract of Japan

Cited document D1 relates to a method for bending glass sheets at least partially by gravity while supported on ring mould.

Cited document D2 relates to a furnace assembly for gravity bending glass sheets, transporting sheets on moulds through furnace on upper run and discharging along lower run.

Cited document D3 relates to a method for transferring mould-carrying wagons in a bending furnace for glass sheets and bending furnace.

Cited document D4 relates to a method and apparatus for bending and tempering a glass sheet.

Cited document D5 relates to an apparatus for manufacture a windshield for a car with superior strength by heating and bending a glass plate, and rapidly cooling the bent plate.

.../...

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/FI98/00881

Supplemental Box

(To be used when the space in any of the preceding boxes is not sufficient)

Continuation of: V.

Claims 1-6:

None of the cited documents disclose an unloading and loading end of a multisection glass-bending furnace, with a first and a second side station, characterised in that the first and the second side station are located on different sides of the lift section.

With the side stations as arranged in the application, there is a remarkable increase of available loading and unloading time, compared to previously known technique.

Thus the invention according to claims 1-6 is novel, is considered to involve an inventive step and to have industrial applicability.

U.S. APPL. NO. 09/8 31 205 INTERNATIONAL APPL. E298/00881

APPLICATION FILED BY: 20 months _____ or 30 months ☒ Screening done by XW

INTERNATIONAL APPLICATION PAPERS IN THE APPLICATION FILE:

☒ International application (RECORD COPY)
____ DOUBLE SIDED INTERNATIONAL APPLICATION
____ Article 19 amendments
____ PRIORITY DOCUMENT(S) NO. _____
☒ REQUEST FORM PCT/RO/101
____ PCT/IB/302
____ PCT/IB/306
____ PCT/IB/308
____ PCT/IB/331
____ OTHER: PCT/IB/_____
☒ PCT/IPEA/409 IPER (PCT/IPEA/416)

☒ 409 ANNEXES to IPER
☒ PCT/ISA/210 (SEARCH REPORT)
____ Search Report References
____ Other papers filed
____ WIPO PUBLICATION
Publication No. WO UN / 29339
Publication Date 25 MAY 00
Publication Language ENGLISH
____ NOT PUBLISHED
____ U.S. only _____ Request

RECEIPT FROM THE APPLICANT: (other than checked above)

☒ National Fee (paid or authorized to file)
☒ Express Processing Requested
☒ Translation of International Application
☒ Used the IB copy of International Application
____ Description
____ Claims no. _____
☒ Drawings no. 1
____ Foreign Language in drawing
____ Article 19 amendments
____ Amendments inserted into application
☒ Article 34 amendments
____ Amendments inserted into application
____ DNA disk

☒ Preliminary amendment(s) filed DATE 14 MAY 01
____ Second submission _____
____ Information Disclosure Statement _____
____ Second submission _____
____ Assignment document
____ forward to Assignment branch
____ Substitute Specification
____ Small Entity Statement 14 MAY 01
____ Type _____
____ Oath/Declaration
☒ Has the Oath/Declaration been executed
☒ Power of Attorney/Change of address

35 U.S.C. 371 - Receipt of Request (PTO - 1309 Transmittal letter)

DATE: 14 MAY 01

Date acceptable oath/declaration received

Date complete 35 U.S.C. 371 requirements met

102 (e) Date

DO/EO 903 Date of completion of Notification of Acceptance

08 JUN 01

DO/EO 905 Date of completion of Notification of Missing Requirements

DO/EO 917 Date of completion of Notification of A Defective Oath or Declaration

DO/EO 916 date of completion of Notification of Defective Response

DO/EO 913 Date of Notice of Defective Translation

DO/EO 909 Date of Notification of Abandonment